



INSPECTION REPORT

EMORY UNIVERSITY

Customer ID: 896

Certificate: 57-R-0003

Site: 001

EMORY UNIV. - DIV. OF ANIMAL

**WHITEHEAD BIOMEDICAL RESEARCH BLDG
615 MICHAEL STREET SUITE G02
ATLANTA, GA 30322**

Inspection

Type: ROUTINE INSPECTION

Date: MAR-17-2003

2.31 (c)(3)

INSTITUTIONAL ANIMAL CARE AND USE COMMITTEE (IACUC).

The reports must distinguish significant deficiencies from minor deficiencies. A significant deficiency is one which, with reference to Subchapter A, and, in the judgment of the IACUC and the Institutional Official, is or may be a threat to the health or safety of the animals. If program or facility deficiencies are noted, the reports must contain a reasonable and specific plan and schedule with dates for correcting each deficiency. Any failure to adhere to the plan and schedule that results in a significant deficiency remaining uncorrected shall be reported in writing within 15 business days by the IACUC, through the Institutional Official, to APHIS and any Federal agency funding that activity

***IACUC semi-annual inspection reports do not include specific plans for corrections or correction dates. Correct by: 01 May 03

2.33 (b)(1)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE.

(b) Each research facility shall establish and maintain programs of adequate veterinary care that include:

(1) The availability of appropriate facilities, personnel, equipment, and services to comply with the provisions of this subchapter.

***Multiple expired drug products in Woodruff Building procedure room (heparin, ketamine, and suture material) and Room B022 (atropine). Expired products may not produce desired effects. These items must be discarded or clearly labeled as "expired" and stored in an area separate from other animal pharmaceutical products. Correct by: 21 March 03.

***At the Peavine facility, 1 large pig has overgrown lateral claws on both forelimbs and is in need of a foot trim. Swine with overgrown feet may develop difficulty ambulating on the coated-wire mesh flooring present in the swine primary enclosures. Correct by: 06 April 03.

Prepared By:

AMY BARTHOLOMEW, D V M , USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER , Inspector ID: 1051

MAR-20-2003

Received By:

(b)(6), (b)(7)c

Date:

Title:

MAR-20-2003



INSPECTION REPORT

3.76

HOUSING FACILITIES, GENERAL.

(a) Structure; construction. Housing facilities for nonhuman primates must be designed and constructed so that they are structurally sound for the species of nonhuman primates housed in them. They must be kept in good repair

***Multiple rooms in Rollins building have excess condensation along the ceilings and walls due to malfunctioning HVAC system. This is particularly evident in rooms G04 (cagewash) and G32. The moisture has resulted in damage to the ceiling of room G32, which has a large area of peeling paint. This problem prevents cleaning and sanitation in accordance with acceptable husbandry standards. Correct by: 20 June 2003

Reviewed:

- 1.) Individual Animal Health Records (macaques #11068, 3674, CH3D, 3933, 2496)
- 2.) Record of Animals on Hand (dogs and cats)
- 3.) Environmental Enrichment Program for Non-Human Primates
- 4.) IACUC Semi-Annual Inspections
- 5.) IACUC Roster
- 6.) Protocols: 057-2002 (1), 007-2003, 145-2002

Inspection of Department of Animal Resources: Rollins, Whitehead, Peavine, Eye Center, and Crawford-Long areas 17 and 20 March, 2003

ANIMAL INVENTORY: 14 GUINEA PIGS, 18 RABBITS, 33 MACAQUES, 17 SQUIRREL MONKEYS, 4 CAPUCHINS, 21 ADULT DOGS, 37 ADULT CATS, 23 SWINE, 6 SHEEP.

Prepared By:

AMY BARTHOLOMEW, D V M , USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER , Inspector ID: 1051

Date:

MAR-20-2003

Received By:

(b)(6), (b)(7)c

Title:

Date:

MAR-20-2003