



C 10 2004
896 cust_id
200321 insp_id
20727 site_id

INSPECTION REPORT

EMORY UNIVERSITY

Customer ID: 896

Certificate: 57-R-0003

Site: 004

EMORY UNIVERSITY

WHITEHEAD BIOMEDICAL RESEARCH BLDG
615 MICHAEL STREET SUITE G02
ATLANTA, GA 30322

Inspection
Type: ROUTINE INSPECTION
Date: NOV-17-2004

3.75 (c)(2)

HOUSING FACILITIES, GENERAL.

(c) Surfaces

(2) Maintenance and replacement of surfaces. All surfaces must be maintained on a regular basis. Surfaces of housing facilities that cannot be readily cleaned and sanitized, must be replaced when worn or soiled.

***There are multiple areas of peeling ceiling paint in room RC236. There are several areas along the ceiling where the peeling paint has been patched, however, the ceiling condition is deteriorating further. Ceilings must be maintained to prevent peeling paint from falling into enclosures and to allow proper cleaning and sanitization of the surface. Correct by: 31 Jan 05.

***The back wall of eye-building room 106 (veterinary treatment area) is in need of repair. This wall consists of a foam-based material with a smooth plastic/resin overlay. The condition of the foam behind the overlay is deteriorating. The crumbled foam material is being deposited on the floor of the veterinary treatment area. This must be repaired to maintain sanitary room conditions. Correct by: 28 Feb 05.

***There are small areas of chipping stonehard flooring in rooms 153 and 154. This is particularly notable around the edges of the large floor drains. Flooring must be maintained to provide a sealed surface that can be properly cleaned and sanitized. Correct by: 30 Jan 05.

3.80 (a)(2)(i)

PRIMARY ENCLOSURES.

Primary enclosures for nonhuman primates must meet the following minimum requirements:

(a) General requirements.

(2) Primary enclosures must be constructed and maintained so that they:

(i) Have no sharp points or edges that could injure the nonhuman primates

***The outdoor aspect of the capuchin indoor/outdoor entry way in RD side A (close to the chain link dividing the outdoor sections) has a crack in the upper portion of metal rim around the entry. This worn area may lead to animal injury. Correct by: 30 Nov 04.

Prepared By:

Amy Bartholomew DVM
AMY BARTHOLOMEW, D V M , USDA, APHIS, Animal Care

Title: VE

(b)(6), (b)(7)c

OFFICER , Inspector ID: 1051

Received By:

Title:

Date:

NOV-18-2004

Date:

NOV-19-2004



INSPECTION REPORT

3.84 (c)

3.84 (d)

REPEAT NCI

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

(c) Housekeeping for premises. Premises where housing facilities are located, including buildings and surrounding grounds, must be kept clean and in good repair in order to protect the nonhuman primates from injury, to facilitate the husbandry practices required in this subpart, and to reduce or eliminate breeding and living areas for rodents, pests, and vermin.

***There is excessive accumulation of powdery, white chemical residue on the floor of the cage wash area of room 122 and the adjacent hallway. Chemicals may be tracked into animal areas by personnel (on feet or clothing). This area must be cleaned to prevent contamination of animal housing or food storage areas. Correct by: 30 Nov 04.

***The metal door that serves as the main entry into the RD building (capuchins) has multiple 1-2 inch diameter area holes along the lower interior portion. Several large cockroaches were noted along the floor directly adjacent to the holes. This door must be repaired or replaced to minimize hiding areas for pests. Correct by: 01 Jan 05.

***There are excess dead roaches and rodent droppings in the veterinary treatment/storage area of the Great Ape Wing. Although there has been improvement in rodent control measures and staff report decreased rodent sightings, vigilant pest control must continue to further reduce this problem. Problem areas must be cleaned as often as necessary to remove dead roaches and rodent droppings from the floors. To be corrected from this day forward.

(d) Pest control. An effective program for control of insects, external parasites affecting nonhuman primates, and birds and mammals that are pests, must be established and maintained so as to promote the health and well-being of the animals and reduce contamination by pests in animal areas.

***There are excessive numbers of small black flies in multiple building areas. This is most notable in RC272, RC275, rooms 153/154 and IBD D116.

COMPLETE INSPECTION OF MAIN STATION ANIMAL FACILITIES CONDUCTED 17 NOV 04 AND 19 NOV 04.

Prepared By: *Amy Bartholomew, DVM*
AMY BARTHOLOMEW, D V M , USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER , Inspector ID: 1051

Received By: (b)(6), (b)(7)c

Title:

Date:
NOV-18-2004

Date:
NOV-19-2004